



+386 5 364 43 30



(<https://www.jaklic.com/en/wine/open-tanks/>)



(/)



(<https://www.jaklic.com/sl/vinarstvo/odprte-cisterne/>)



(<https://www.jaklic.com/de/wein/immervolltanks/>)

[HOME \(HTTPS://WWW.JAKLIC.COM/EN/\)](https://www.jaklic.com/en/)

---

[PRODUCTS \(HTTPS://WWW.JAKLIC.COM/EN/PRODUCTS/\)](https://www.jaklic.com/en/products/)

---

[REFERENCES \(HTTPS://WWW.JAKLIC.COM/EN/REFERENCES/\)](https://www.jaklic.com/en/references/)

---

[NEWS \(HTTPS://WWW.JAKLIC.COM/EN/NEWS/\)](https://www.jaklic.com/en/news/)

---

[ABOUT US \(HTTPS://WWW.JAKLIC.COM/EN/ABOUT-US/\)](https://www.jaklic.com/en/about-us/)

---

# Open Tanks





(<https://www.jaklic.com/wp-content/uploads/2018/01/IE.jpg>)

The open tanks are suitable for the storage of wine and liquid foodstuffs (e.g. fruit juices, milk and oil). They are made of stainless steel W.No 1.4301 BA (AISI 304-V2A). The inner floating lid allows the volume to be adapted according to the clients needs. Wine-oxidation is prevented by tightening the floating lid by means of the inflatable gasket which is blown by the enclosed pressure pump and manometer. Our standard production program involves open tanks with legs and without legs. The upper coat edge is additionally strengthened to assure greater tank stability. Larger open tanks with legs are equipped with a crane and pulley for easy floating lid lifting. Optionally, the tank can be equipped with an oval or rectangular manway (welded), with a cooling jacket or other accessories.

## Variable capacity tanks with legs

**Material:**

W.Nr. 1.4301 BA (AISI 304 – V2A)

**Surface:**

Outside marble finish, inside lld polished

**Standard equipment:**

- 3 feet
- Bottom concentric (up to 200 lt flat bottom)
- Drain port ball valve 5/4"-5/4" (\*up to 200 lt ½" valve)
- Racking port ball valve 5/4"-5/4"
- Sampling valve DN20
- Floating lid including pressure relief valve A10
- Inflatable gasket including pump with manometer
- Dust protection lid (up to 1000 lt)
- Crane for floating lid (\*\*from D1050 mm)
- Level gauge DN20 (\*\*from 1200 lt)
- Pulley for floating lid (\*\*\* from D1274 mm)

## Variable capacity tanks without legs

**Material:**

W.Nr. 1.4301 BA (AISI 304 – V2A)

**Surface:**

Outside marble finish, inside lld polished

**Standard equipment:**

- Drain port connection 5/4" with ball valve 5/4"-5/4" and cap
- (\*up to 200lt ½" valve)
- Floating lid including pressure relief valve A10
- Inflatable gasket including pump with manometer
- Dust protection lid (up to 1400 Lt)
- Crane for floating lid (\*\*from 2000 Lt)
- Pulley for floating lid ( \*\*from 2000 Lt)

Article	Volume Lt	D mm	H mm	Z1 mm	Z2 mm	L mm
<b>IS0751</b>	<b>* 100</b>	398	850	850	30	
<b>IS0752</b>	<b>* 150</b>	478	1000	1000	30	



<b>IEx736</b>	<b>2.900</b>	1370	2000	2350	2750	900	350	180	260
<b>IEx737</b>	<b>3.600</b>	1370	2500	2850	3250	950	350	250	260
<b>IEx718</b>	<b>3.100</b>	1433	2000	2350	2750	900	350	250	260
<b>IEx719</b>	<b>3.500</b>	1433	2250	2600	3000	950	350	250	260
<b>IEx738</b>	<b>3.900</b>	1433	2500	2850	3250	950	350	250	260
<b>IEx739</b>	<b>3.900</b>	1592	2000	2400	2800	900	400	250	260
<b>IEx720</b>	<b>4.400</b>	1592	2250	2650	3050	950	400	250	260
<b>IEx721</b>	<b>4.900</b>	1592	2500	2900	3300	950	400	250	260
<b>IEx722</b>	<b>5.400</b>	1592	2750	3150	3550	950	400	250	260
<b>IEx723</b>	<b>5.900</b>	1592	3000	3400	3800	950	400	250	260
<b>IEx740</b>	<b>4.700</b>	1751	2000	2400	2800	900	400	250	260
<b>IEx724</b>	<b>5.900</b>	1751	2500	2900	3300	950	400	250	260
<b>IEx725</b>	<b>6.500</b>	1751	2750	3150	3550	950	400	250	260
<b>IEx726</b>	<b>7.100</b>	1751	3000	3400	3800	950	400	250	260
<b>IEx741</b>	<b>6.600</b>	1850	2500	2900	3700	950	400	250	260
<b>IEx727</b>	<b>7.300</b>	1850	2750	3150	3700	950	400	250	260
<b>IEx728</b>	<b>8.000</b>	1850	3000	3400	4000	950	400	250	260
<b>IEx729</b>	<b>8.500</b>	2100	2500	2900	3400	950	400	250	260
<b>IEx730</b>	<b>9.400</b>	2100	2750	3150	3650	950	400	250	260
<b>IEx731</b>	<b>10.200</b>	2100	3000	3400	3900	950	400	250	260

## Gallery



(<https://www.jaklic.com/wp-content/uploads/2018/01/IS-velika.jpg>)



(<https://www.jaklic.com/wp-content/uploads/2018/01/dvigalo.jpg>)



(<https://www.jaklic.com/wp-content/uploads/2018/01/plavajoci-pokrov02.jpg>)



(<https://www.jaklic.com/wp-content/uploads/2018/01/pokrov2.jpg>)



(<https://www.jaklic.com/wp-content/uploads/2018/01/pretocni-izpust.jpg>)



(<https://www.jaklic.com/wp-content/uploads/2018/01/probna-pipa.jpg>)



(<https://www.jaklic.com/wp-content/uploads/2018/01/skripec02.jpg>)

## Related products



## Storage Tanks

(<https://www.jaklic.com/en/wine/storage-tanks/>)



## Compound tanks

(<https://www.jaklic.com/en/wine/compound-tanks/>)



## Stacking tanks

(<https://www.jaklic.com/en/wine/stacking-tanks/>)



## Oval tanks

(<https://www.jaklic.com/en/wine/oval-tanks/>)



Gradiška cesta 5, 5271 Vipava

+386 5 364 43 30

+386 5 364 43 35



info@jaklic.si



8:00 - 17:00 Ponedeljek - Petek

Cookies help us deliver our services. By using our services, you agree to our use of cookies. Preberite več (<https://www.jaklic.com/en/cookies-2/>)

Vse pravice pridržane © Jaklič d.o.o.  
Se strinjam